



Title:

Titles and Index

Author:

Neil Hamilton-Smith

Contact:

Your User Support Team

Software Support

Category: n/a

Titles

In the following list of User Notes which may be obtained from your User Support Team each title is followed by the date of the most recent version of that Note and a rating on a scale ranging from 1 to 10 which indicates whether the reader is assumed to have very little or a considerable understanding of computers and computing. Earlier versions of any Notes should be thrown away.

0	Titles and Index	October 1986	1
1	DAP User Interface Commands	November 1984	5
2	IMP80 on EMAS 2900: Differences from IMP9	April 1984	5
3	The Coding of Computer Data	December 1985	1
4	Modifying Object Files on EMAS 2900	November 1984	10
5	DAP FORTRAN Summary Guide	March 1985	6
6	Compiling PASCAL programs on EMAS 2900	February 1983	5
8	Developing IMP programs	February 1984	6
9	VIEW on EMAS-3	November 1985	2
10	Date and Time in EMAS 2900	January 1986	6
11	CURVEFIT on EMAS 2900	August 1983	3
12	EASYGRAPH on EMAS 2900	March 1983	3
14	SOAP80: A Program for Formatting IMP80 Source Programs	June 1985	2
15	ERCC and CAST Software Index	September 1986	1
16	Profile Scheme on EMAS 2900	January 1984	6
17	Graph and Matrix Plotter devices on EDNET	December 1985	2
18	ERCC/CAST User Support for Programming Languages in Edinburgh University	September 1986	2
19	BMDP on EMAS 2900 and EMAS-3	August 1986	2
20	GENSTAT version 4.04 on EMAS 2900 and EMAS-3	August 1986	2
24	MINITAB on EMAS 2900 and EMAS-3	September 1986	2
25	SPSSX on EMAS 2900 and EMAS-3	August 1986	2
26	Choosing a Statistical Package on EMAS	June 1985	2
27	Some Utility routines available in the EMAS 2900 Subsystem	January 1986	5
28	The EMAS FUNDS Scheme	November 1986	1
29	How to Register as a User of the Computer Services Provided by the ERCC	December 1986	1
30	Virtual Video Package	January 1985	6
31	EMAS 2900 Program Loader	May 1985	5
32	Efficient Loading on EMAS 2900	April 1983	5
33	EMAS 2900 Fundamentals: Object file format, Stacks, GLAs, Logging-on, Loading	September 1985	5
34	The EMAS File Transfer System	March 1986	5
35	EMAS 2900 Subsystem: data structures and 'hash commands'	June 1985	6

36	SUPERSNAP	June 1983	7
37	INLAY	March 1984	2
38	LABS: A Program for Address Labels	October 1985	2
39	The BBC Microcomputer as a Laboratory Tool	October 1986	2
40	Edinburgh University Microcomputer Teaching Laboratory	December 1985	1
42	A Proportional Spacing Version of LAYOUT: Notes for Experienced LAYOUT Users	December 1984	3
43	A Proportional Spacing Version of LAYOUT: Notes for Inexperienced LAYOUT Users	April 1984	3
46	Editors Available on the EMAS Operating System	June 1986	1
47	GPLAYOUT: a Picture-Editor	December 1985	2
48	DPLIST: A Listing Utility for .DP Printers	July 1984	1
50	Philips GP300 Printer: Character Sets	June 1985	1
52	How to make the best use of your interactive terminal	October 1986	1
53	Background Work on EMAS 2900	May 1985	2
54	Accessing Archived Files on EMAS	September 1985	1
55	File Comparison Programs on EMAS 2900 and EMAS-3	November 1986	2
56	VFILES on EMAS 2900	September 1984	2
57	Moving to Fortran 77 from Earlier Dialects of Fortran	September 1985	4
58	Moving IMP programs to EMAS-3	June 1986	4
61	EMAS-3: Naming Files	January 1986	1
64	Pascal on EMAS-3	September 1986	2
65	Language-independent Event Trapping Mechanism on EMAS-3	November 1985	4
66	A SCRIBE Primer	May 1986	3
67	A SCRIBE Reference Manual	November 1986	3
70	Searching for Patterns in EMAS Character Files	October 1985	2
71	Document Printers - Recent Changes	May 1985	1
73	Data Backup for Microcomputer Users	August 1986	1
74	User Guide for BBC Micro X-TALK Version 2.2	June 1986	2
76	EMAS 2900 File Analysis	April 1985	2
77	File Permissions on EMAS 2900	April 1985	2
78	An Introduction to KERMIT	August 1985	2
79	KERMIT on EMAS	August 1985	3
80	EMAS-3: Subsystem Language Independent Programming Interface	March 1987	3
81	EMAS-3: Command macro scheme	February 1986	3
83	Profile Scheme on EMAS-3	February 1986	6
85	EMAS-3: Program Loader	February 1986	5
86	EDD - A Screen Editor for MS-DOS	March 1986	2
87	Handling Non-printing Characters in EMAS Files	April 1986	2
88	Microcomputing Support Policy for Edinburgh University	June 1986	1
90	SPELL on EMAS 2900	November 1985	2
91	Portable X-Talk User Guide	October 1985	2
92	Spreadsheet Packages for Microcomputer Users	November 1986	2
94	KERMIT on EMAS-3	June 1986	3
95	Accessing PRESTEL from EDNET	October 1986	2
96	Modifying Object Files on EMAS-3	September 1986	10
99	Code of Practice for the Security of Computer- Based Personal Data Files	November 1986	1
100	INDEX: A Program to Simplify Preparing an Index for a Document	March 1987	2

The previous list of User Notes may be subdivided into groups of Notes which refer to particular topics. For EMAS topics the grouping defined in User Note 15 is followed: for microcomputing topics the grouping is mainly by machine.

EMAS

1	USER EMAS PROCEDURES	
1.1	Access to EMAS	User Notes 29, 33
1.2	Terminal Control and Information	User Notes 30, 52, 80
1.3	EMAS process control and information	User Notes 1, 16, 28, 53, 80, 83
1.3.1	Directory	User Notes 31, 85
1.4	EMAS Command Handling	User Note 80
1.4.1	Session Information	User Notes 1, 27, 46, 52, 80
1.5	User's Programs	
1.5.1	Date and Time	User Notes 10, 80
1.5.2	Input	User Notes 27, 80
1.5.3	Output	User Notes 27, 35, 80, 87
1.5.4	String handling	User Notes 27, 70, 80
1.5.5	Program Control and Information	User Notes 1, 27, 31, 32, 35, 80, 85
1.5.6	Diagnostics	User Notes 27, 35, 36, 80
1.5.7	Contingency handling	User Notes 65, 80
1.5.8	Parameter handling	User Notes 27
1.6	File Command handling	User Notes 76, 81
1.7	Jobs (all)	
1.7.1	Jobs (background)	User Notes 1, 34, 53, 54
1.9	Services, System & User Information and Utilities	
1.9.1	System Information	User Notes 1, 28
1.9.2	User Information	User Note 9
2	FILE UTILITIES	
2.1	File Comparison	User Note 55
2.1.1	File Comparison (PD)	User Note 55
2.2	File Copying	User Note 61
2.2.1	File Copying (PD)	User Note 80
2.3	File Editing	User Notes 14, 35, 36, 46, 70, 87

2.4	File Handling	User Notes 9, 31, 35, 46, 70, 80, 85
2.4.1	File Handling (PD)	User Notes 61, 70
2.5	File Listing	User Notes 34, 38, 55, 80
2.6	File Management	User Notes 1, 54, 56, 61, 76, 77, 80
2.6.1	File Management (PD)	User Note 80
2.7	File Transfer	User Notes 34, 78, 79, 94
2.8	File Information	User Notes 1, 61, 70, 76, 77, 80, 87
3	LANGUAGES, COMPILERS and UTILITIES	
3.0	Compiler Utility	User Note 1
3.0.1	Object Utility	User Notes 1, 4, 32, 96
3.1	ALGOL Compiler	User Note 18
3.2	ASSEMBLER Compiler	User Notes 1, 18
3.3	BASIC Compiler	User Note 18
3.4	BCPL Compiler	User Note 18
3.6	FORTRAN Compiler	User Notes 1, 5, 18, 53, 57
3.7	IMP compiler	User Notes 2, 18, 53, 58
3.7.1	IMP Utility	User Notes 8, 14
3.8	LISP System	User Note 18
3.9	ML Interpreter	User Note 18
3.10	MODULA Compiler	User Note 18
3.11	PASCAL Compiler	User Notes 6, 18, 53, 64
3.12	POPLOG Environment	User Note 18
3.13	PROLOG System	User Note 18
3.14	SIMULA Compiler	User Note 18
3.15	SNOBOL Compiler	User Note 18
4	APPLICATIONS (GENERAL)	
4.2	Graphics Drafting	User Notes 12, 47
4.2.3	Graphics Display	User Notes 12, 17, 47
4.3	Mathematical	User Note 11
4.4	Statistical	User Notes 11, 19, 20, 24, 25, 26

7 TEXT PROCESSING

7.1 Text Analysis

User Note 70

7.2 Text Processing

User Notes 37, 42, 43, 46, 48, 50,
66, 67, 71, 90, 100

Microcomputers

File Transfer

User Notes 74, 78, 79, 91, 94

General

User Notes 40, 73, 86, 88

BBC

User Notes 39, 74

IBM PC

User Note 86

Databases

Database Handling

User Note 95

INDEX

This index gives references in the form User Note-Page number.

*	14-3, 27-19, 35-23, 54-3, 56-4, 61-8, 77-12	B80	53-6
=	52-10	BACK SPACE	87-5
?	1-2, 1-4, 14-3, 27-7, 31-12, 34-3, 34-4, 34-6, 48-5, 48-6, 52-10, 54-2, 77-2, 77-7, 77-10, 77-11, 90-2, 90-9, 90-10, 90-11, 90-12, 90-13	background compilation	53-4
??	80-10	background job	53-7, 54-5
#ACR	35-22	BASEFILE	80-20
Ada	18-6, 18-28	BASIC	18-9, 18-28, 18-29, 74-9, 92-3
ADDNP	87-10	compiler	35-8
address labels	38-3	BATCH	25-6
AID2	26-4	batch jobs	53-2
Algol 60	18-7, 18-26, 18-28	BBC Master	95-3
Algol 68	18-7	BBC microcomputer	39, 74-4, 78-5, 79-3, 94-3
ALIAS	31-6	Basic program transfer	74-13
ALIASENTRY	31-6, 31-10, 85-5	configurations	39-3
ALIASPROC	85-5	disc transfer	74-12
ANALYSE	61-7, 31-14, 32-6, 56-3, 61-8, 70-2, 70-6, 70-10, 76-2, 76-7, 77-11, 87-14	interfaces	39-4
ANALYSE PARAMETERS	27-9	memory block transfer	74-15
analysis		memory transfer	74-13
cluster	19-2, 25-2, 26-3, 26-4	software library	74-18
discriminant	19-2, 25-2	tape transfer	74-13
factor	19-2, 25-2	Wordwise text transfer	74-14
file	76	BBC-B	95-3
life table	25-2	BCPL	18-11, 18-28
log-linear	25-2	compiler	35-8
multidimensional scaling	25-2	BECCE	46-8, 46-3, 87-15
multiple response	25-2	BFORT77	53-4
multivariate	20-1, 26-3	BFORTE	53-4
non-parametric	19-2, 24-2	BIMP	53-4
of covariance	19-2, 25-2	BIMP80	53-4
of variance	19-2, 20-1, 24-2, 25-2, 26-2, 26-3, 26-4	binary digits	87-23
parameter	27-2, 27-4	BINTT	53-11
probit	25-2	BIOPT	53-4
reliability	25-2	BLISS	26-4
survival	19-2, 26-3	BMDP	19-1, 26-2, 26-3
time series	19-2, 20-1, 24-2, 26-5	access on EMAS 2900	19-2
APAL	1-2	access on EMAS-3	19-3
APERMIT	54-2, 77-2, 77-6, 77-11	accessing data files	19-4
Apricot	73-5	documentation	19-2
ARCHIVE	61-7, 56-3	example	19-4
archived file	54, 54-5, 54-6, 54-7, 56-3, 61-6, 77-6	parameters	19-3
ARCHSORT	54-6	BOP	53-6
ASET	18-6, 18-13, 18-20	Borsu unit	73-3, 73-4, 73-5
Assembler	13-8, 18-28, 58-6	cleaning	73-6
AWAITRESTORES	54-5	Box Jenkins	25-2
		BPASCAL	53-4
		bytes	87-23
		C	18-12, 18-11, 18-28, 29-3
		C#	80-10, 80-2
		CALL	31-7, 58-4
		CAMAPGB1	15-54
		CAMAPGB2	15-54
		canonical correlation	25-2

card index	9-14	CONLIB:GENERAL	15-56
cashflow	92-3	#CONNECT	35-20
CAST OUT	27-12	CONSOLE	27-11
character codes		CONSOLIDATE	1-2
ASCII	74-11, 94-8	context editors	46-2
CDC6600	87-10	contingency 65, 80-3, 80-7, 80-8, 80-10,	
EBCDIC	87-5, 87-10	80-17, 80-18, 80-20	
ISO	52-28, 58-5, 87-3, 87-5, 87-10,	contingency tables	25-2
	87-21	CONTRAST	55-4, 55-3
character file	34-8, 55-2, 55-14	control characters	52-29, 74-28, 87-3,
characteristics of terminals	52-22	87-14, 87-25	
CHECKENDS	55-5, 55-3	CONVERT	12-8
CHECKFILE	76-4, 76-6	COPY	61-7, 1-4, 61-6, 77-3, 87-4
CHECKLEX	90-10, 90-12	correlation	20-1, 24-2, 26
CHEF	46-11, 46-3, 70-3, 70-8, 87-12	COUNT	87-7
documentation	46-12	cross tabulation	26-4
CHEFL	46-12, 70-3, 70-10	CSO	15-54
CHEFR	46-12	CURRENT PACKED DT	10-3
CHERISH	54-4, 56-3, 61-7, 61-8, 61-9	CURRENTREFS	31-11, 85-7
CHKDSK	73-4	curve-fitting	11-2, 12-3
CHOPLDR	27-13	Curvefit	11-2, 11-7, 11-8, 12-16
CIF Library	1-4	access	11-3
CIFANAL	1-4	error messages	11-18
CLUSCOM	26-4	methods used	11-19
CLUSTAN	26-4	Curveplot	11-4
cluster analysis	19-2, 25-2, 26-3, 26-4	Cuspline	11-21
COBOL	35-24		
CODECHANGE	87-10	DAP documentation	1-6, 5-13
command		DAP FORTRAN	5-2
EMAS-3 Subsystem	80-20	ENTRY SUBROUTINE	5-2
hash	35-16	ERROR statement	5-9
history	80-2, 80-10	TRACE statement	5-9
line	80-2, 80-10, 81-6	DAPALERT	1-5
macro scheme	81-2	DAPASSEMBLE	1-2
monitoring	35-17	DAPCLEAR	1-2
parameters	80-20	DAPFORTRAN	1-2
Commstar ROM	95-3, 95-6	DAPMAN (Mail Rname)	1-6, 5-13
COMPARE	55-6, 55-3	DAPMETER	1-5
comparing areas of virtual store	27-13	DAPNEWLIB	1-4
comparing files	55	DAPOPTION	1-4, 1-2
COMREG	35-7	APPENDLIB	1-3
CONCORD	70-9, 70-10	ARRAYSIZE	1-3
documentation	70-10	ATRACE	5-9, 1-3
CONLIB	15-55, 15-56	DIAGNOSTICLEVEL	1-3
CONLIB.CTRLCHAR	87-14, 87-26	FTRACE	5-9, 1-3
CONLIB.EDWINDIR	15-55	LISTSIZE	1-3
CONLIB.EXAMPLES	87-3, 87-26	REMOVELIB	1-3
CONLIB.GENERAL	15-55, 30-19, 36-2,	RTRACE	5-9, 1-3
53-6, 53-7, 53-10, 54-3, 54-6,		STACKALLOCATION	1-3
55-3, 55-14, 70-4, 70-6, 70-8,		STACKSIZE	1-3
70-9, 70-11, 77-2, 100-2		DAPPARM	1-4, 35-13
CONLIB.GRAPHICS	15-55	AMF	1-5, 35-14
CONLIB.GRAPHICSY _GRAPHELP	12-3	ATTR	1-5, 35-14
CONLIB.IMP11DIR	15-55	DDE	1-5
CONLIB.PAFECDIR	15-55	DIAG	35-14
CONLIB.POLPLOTS	15-55	DIRECTIVES	35-14
CONLIB.PROLOG	15-55	DUMP	35-14
CONLIB.VVP _VVDemo	30-17	ERL	1-5, 35-14
CONLIB.VVP _VVPFORMATS	30-3, 30-10	ISC	1-5, 35-14
CONLIB.VVP _VVPSPCS	30-3	LISTALL	1-5, 35-14

DAPPARM			DELIVER	17-4, 80-19
LOADMON	35-14		DESCRIBE	53-2
MAP	35-14		DESTROY	61-7, 56-3, 77-3, 77-9
NOCODE	1-5, 35-14		DESTROYGROUP	61-7
NODOLOOPS	1-5, 35-14		DETA	53-7
NOLIST	1-5, 35-14		DETAB	87-9
NONORMALISATION	1-5, 35-14		DETACH	1-6, 25-5, 25-6, 53-2, 54-5, 66-3
NORTCHECKS	1-5, 35-14		AFTER	53-3
NOSOURCE	1-5, 35-14		DAPMINS	1-6
NOSUBSCRIPTS	1-5, 35-14		DETACHJOB	53-4, 53-10
OBJECT	1-5, 35-14		AFTER	53-10
REGS	35-14		DFDFIN	27-10
XREF	1-5, 35-14		DFDFOUT	27-10
DAPRUN	1-2		diagnostic aids	35-23
DAPSTATE	1-5		diagrams	12-3
DAPSYS	15-54		DIFF	55-9, 55-3
DAPSYS.DAPDIR	15-54		documentation	55-10
DAPTIME	1-5		directory	
data	3-4		file	35-3
agricultural	26-3		searching	31-2, 32-2
analysis	26-4		Subsystem base	31-2
area	31-3, 85-3		disc	
backup	73		floppy	39-3, 73-3, 73-4
schedule	73-8		backup schedule	73-8
collection form	3-2		hard	73-4
copying	27-11		Apricot	73-6
description	19-2, 20-1, 26		IBM	73-6
eight bit	94-8		Sirius	73-7
entry	4-2, 4-4, 31-12, 85-3, 96-2, 96-4		heads, cleaning	73-6
file	35-2, 31-3, 34-8, 55-2		DISCARD	54-7, 56-3
manipulation	27-2		DISCONNECT	1-2, 31-17, 32-6, 53-5, 85-12
matching	27-2		discriminant analysis	19-2, 25-2
medical	26-2		DISPLAYX3	52-21
preparation	3-2		DNA sequence analysis	29-3
reference	4-2, 31-3, 31-10, 32-2, 32-6, 96-2		document formatting	37-2, 42, 43, 48, 66, 67, 100-2
scanning	27-2		documentation	
structures	80-28		BMDP	19-2
survey	26-2, 26-3		CHEF	46-12
tabulation	26-5		CONCORD	70-10
Data Protection Act	99-2, 38-3, 73-2, 99-5		DAP	1-6, 5-13
Data Protection Officer	99-5		DIFF	55-10
DATAAC	15-54		ECCE	46-8, 70-2
DATASPACE	31-3, 31-10, 31-13, 32-4, 85-3, 85-9		EDIT	46-6, 70-2
DATATRIEVE	29-3		EL	46-12
DATE	10-3		EM	46-10
DEBUG	8-2		FAKAD	26-4
#DEC	35-17, 87-22		Fortran77	57-6
DECRYPT	99-5		GENSTAT	20-2
DEFINE	11-3, 11-7, 11-8, 12-8, 17-2, 17-3, 19-4, 20-5, 20-6, 35-4, 35-20, 53-10, 58-8		GLIM	26-4
DEGROT	87-8		IDA	26-4
DELAYJOB	53-10		LISREL	26-4
DELETE PROFILE	16-9		loader	31-12
access	16-8		MINITAB	24-2
DELETEDOC	34-6, 25-6, 48-9, 53-11		MLP	26-5
			OCP	70-10
			PAD	52-5
			PASCAL	64-9

documentation
 SCREED 46-9, 70-4
 SPSSX 25-2
 TSA 26-5
 VECCE 46-13
DOCUMENTS 1-6, 12-24, 25-6, 48-9
DONATEFUNDS 28-4
dot matrix printer 50
DOUBLE 90-13
.DP 71-3, 42-2, 42-4, 43-12, 48-2, 48-9,
 50, 71-4, 71-6, 71-8, 71-10, 71-11
DPLAY 42-3, 43-12, 50, 71-2, 71-9,
 100-5
 access 43-12, 42-2
 symbol parameter OUTPUT 50-20
DPLIST 48, 50, 71-3, 71-9
 access 48-2
 directive @f 50-21
 options 48-5
DQ 54-6
drawing graphs 12-3
DRAWPICTURE 17-2, 47-8, 47-21, 74-18
DSIGNX 26-4
DTWORD 10-3
#DUMP 35-19
#DUMPFIL 35-20
dynamic reference 4-2, 4-4, 32-2, 53-7,
 96-2, 96-4

E#EDITDICT 46-5
E#EHA 46-6
EASYGRAPH 12, 11-3, 11-6, 11-12,
 12-18, 12-20, 12-22, 12-24
 access 12-3
 calling from a program 12-16
EASYMENU 12-3
EBCDIC to ISO code conversion 27-18,
 35-8, 80-4, 80-8
ECCE 46-7, 16-4, 37-5, 46-3, 46-9,
 46-12, 55-14, 58-4, 70-2, 83-2,
 83-4, 87-18
 documentation 46-8, 70-2
ECCE#BACKUP 46-8
ECCE#TDICT 46-7
ED 46-10
EDD 86
 on Apricot 86-4, 86-22, 86-37
 on IBM PC 86-3, 86-22, 86-37
 on Sirius 86-3, 86-22, 86-37
EDEX 26-4
EDIT 46-5, 46-3, 46-9, 55-14, 70-2,
 77-3, 77-9, 87-14
 documentation 46-6, 70-2
editors 46
 BECCE 46-8, 46-3, 87-15
 CHEF 46-11, 46-3, 70-3, 70-8, 87-12
 context 46-2
 cursor 46-2

editors
 ECCE 46-7, 16-4, 37-5, 46-3, 46-9,
 46-12, 55-14, 58-4, 70-2,
 83-2, 83-4, 87-18
 ED 46-10
 EDD 86
 EDIT 46-5, 46-3, 46-9, 55-14, 70-2,
 77-3, 77-9, 87-14
 EL 46-12, 46-3, 46-8
 EM 46-9, 46-3, 70-4, 70-8, 70-10,
 87-11
 GPLAYOUT 47
 line 46-2
 picture 47
 SCREED 46-8, 30-2, 46-3, 70-4
 screen 46-2, 86
 SUPERSNAP 36, 70-4
 VECCE 46-13, 46-3, 46-8
EDNET 29-2, 29-4, 46-8, 52-3, 52-7,
 73-6, 95-3
EL 46-12, 46-3, 46-8
 documentation 46-12
EM 46-9, 46-3, 70-3, 70-8, 70-10, 87-11
 documentation 46-10
EMAS-3 58-3, 94-3
 Command macro scheme 81
 IMP interface 80-22
 Subsystem commands 80-20
 Subsystem data structures 80-28
 Subsystem date and time format
 80-29
 Subsystem error messages 80-30
EMAS3 80-2, 9-22, 58-4, 64-3, 65-2,
 80-8, 80-20, 85-6
EMAS3 ALLOW INTERRUPTS 80-3, 65-2,
 65-3, 65-7
EMAS3 CHANGE ACCESS 80-3
EMAS3 CHANGE FILE SIZE 80-3
EMAS3 CHECK NAME 80-3
EMAS3 CLAIM CHANNEL 80-4, 58-8, 80-7
EMAS3 CLEAR JOURNAL 80-4
EMAS3 CLOSE 80-4
EMAS3 COMREG 80-4
EMAS3 CONNECT 80-6
EMAS3 CPUTIME 80-7
EMAS3 DATE 80-7
EMAS3 DEFINE 80-7, 80-4
EMAS3 DESTROY 80-7
EMAS3 DISCARD TRAP 65-4, 65-2, 65-7,
 80-7
EMAS3 DISCONNECT 80-8
EMAS3 ENTER 80-8, 80-12
EMAS3 ERROR 80-8
EMAS3 ETOI 80-8
EMAS3 EVENT DATA 65-4, 65-2, 65-7,
 80-8
EMAS3 EXIST 80-9
EMAS3 EXIST TYPE 80-9
EMAS3 FAILURE MESSAGE 80-9, 80-2
EMAS3 FILL 80-10

EMAS3 GET JOURNAL	80-10	EMAS3VDUC	52-23
EMAS3 GET REST OF LINE	80-10	EMAS3VDUI	52-22
EMAS3 GIVE EVENT	80-10, 65-2, 65-4, 65-7	EMAS3VDUS	52-24
EMAS3 HELP INFO	80-10	EMASFC	31-3, 31-7
EMAS3 HTOS	80-10	ENCRYPT	99-5
EMAS3 INCREMENT	80-10	entry points	31-6, 32-2, 32-3
EMAS3 INPOS	80-11	ERCLIB	15-54, 15-56
EMAS3 INTEGER	80-11	ERCLIB.ALGOL	15-54
EMAS3 INTERRUPT	80-11	ERCLIB.CALCOMPICS	15-54
EMAS3 ITOE	80-11	ERCLIB.GENERAL	15-54, 37-2, 100-5
EMAS3 ITOS	80-11	ERCLIB.GRAPHICS	15-54, 17-4
EMAS3 JOURNAL OFF	80-11	ERCLIB.IMPSPIC	15-54
EMAS3 JOURNAL ON	80-10	ERCLIB.NAGFORTRAN	15-54
EMAS3 LAST PARAM	80-11	ERCLIB.NAGSPEC	15-54
EMAS3 LOADEP	80-11, 80-8	ERCLIB.RELAYDIR	15-54
EMAS3 LONGREAL	80-12	ERCLIB.SORTMERGE	15-54
EMAS3 MODPDFILE	80-12	ERCLIB:CALCOMPICS	15-56
EMAS3 MONPARAMS	80-12	ERCLIB:CTRLCHAR	87-14, 87-26
EMAS3 MOVE	80-14	ERCLIB:EXAMPLES	87-3, 87-26
EMAS3 MOVE STRING	80-14	ERCLIB:GENERAL	15-56, 54-6, 55-3, 55-14, 70-4, 70-6, 70-8, 70-9, 70-11, 100-2, 100-5
EMAS3 NEWGEN	80-14	ERCLIB:GRAPHICS	15-56
EMAS3 OUTFILE	80-15	ERCLIB:NAGLIB	15-56
EMAS3 OUTPOS	80-15	ERCLIB:SOAPSPECS	58-7
EMAS3 PACKDATEANDTIME	80-16	ERCLIB:SORTMERGE	15-56
EMAS3 PHEX	80-16	ERCLIB:VSSDIR	15-56
EMAS3 PROMPT	80-16	ERNM02.DAPAPLS	1-4
EMAS3 RENAME	80-13	ERNM02.DAPLDOC	1-4
EMAS3 RETURN CODE	80-16, 80-17	ERNM02.DAPLSOURCE	1-4
EMAS3 SEND FILE	80-16	error messages	
EMAS3 SET COMREG	80-16	Curvefit	11-18
EMAS3 SET FNAME	80-16, 80-17	EMAS	25-7
EMAS3 SET RETURN CODE	80-16, 80-2, 80-5, 80-17	EMAS 2900 Subsystem	35-18
EMAS3 SET TRAP	80-17, 65-2, 65-3, 65-4, 80-3, 80-18, 80-20	EMAS-3 Subsystem	80-30, 80-9, 80-16
EMAS3 SET VSS TRAP	80-17	loader	31-12, 85-8
EMAS3 SET WORK	80-17	SPSSX	25-7
EMAS3 SETMODE	80-16	X-Talk	74-21
EMAS3 SIGNAL	80-17, 65-2, 65-4, 65-7	ETOI	27-18
EMAS3 STRING	80-18	event classes	65-4, 65-3
EMAS3 TIME	80-18	event trapping	65
EMAS3 TRAP	65-3, 65-2, 65-6, 65-7, 80-17, 80-18	executable code	33-5
EMAS3 TRIGGER TRAP	80-18, 65-2, 65-4	EXECUTE	31-6
EMAS3 TRIM	80-18	F#BLCMN	32-4
EMAS3 UCSTRING	80-18	Factor analysis	19-2, 25-2
EMAS3 UCTRANSLATE	80-18	FAILURE MESSAGE	58-8
EMAS3 UINFI	80-18	FAKAD	26-4
EMAS3 UINFS	80-19	documentation	26-4
EMAS3 UNPACK DATE	80-20	FCALL	31-7, 31-3
EMAS3 UNPACK TIME	80-20	FDMAP	35-4
EMAS3 UNSET TRAP	65-4, 65-3, 80-17, 80-18, 80-20	file	
EMAS3 X	80-20	access	31-4, 80-9
EMAS3H	80-10	analysis	76
EMAS3MODESTR	52-25	archived	54, 54-5, 54-6, 54-7, 56-3, 61-6, 77-6
EMAS3UINFI	28-4	character	34-8, 55-2, 55-14
EMAS3UINFS	28-4	comparison	55
EMAS3VDUB	52-23		

file		
connection	35-20, 35-30, 80-3, 80-6, 80-7, 80-8, 80-14	
data	31-3, 34-8, 35-2, 55-2	
definitions	35-4	
deleting	54-6, 54-7	
destroying	80-7	
direct access	77-9	
directory	35-3	
existence	80-9	
group	61-3, 34-8	
header	35-2, 36-2, 80-18, 80-28	
index	61-3	
name	61-2, 80-3, 80-16	
full	58-7, 61-4	
length	61-2, 61-4	
new	80-15	
object	33-3, 4-2, 31-2, 31-4, 32-2, 32-4, 34-8, 35-3, 53-4, 53-6, 55-2, 58-3, 96-2	
bound	32-5, 32-3	
partitioned	35-3, 31-4, 32-2, 34-8, 55-2, 55-11, 55-13, 56-3, 58-2, 61-8, 77-4, 80-12	
permissions	77-6, 54-2, 61-9	
restoring	54-4, 54-2	
size	80-3, 80-18	
source	58-3, 58-11	
space limits	61-10	
store map	35-2, 77-9, 85-3	
system (EMAS-3)	61-2	
temporary	80-15, 12-4, 31-13	
transfer	34, 73-3, 74, 74-11, 78, 79, 91, 94, 94-7	
password	34-10	
type	35-2	
updating	80-14	
very temporary	80-15, 80-17	
work	80-17	
FILECHECK	76-6	
FILES	61-7, 54-2, 54-3, 54-4, 54-6, 54-7, 54-8, 56-2, 61-8, 76-2, 77-6, 77-11, 96-2	
FILESETUP	76-5, 76-7	
filestore	73-2, 73-3, 73-4	
FILESUMMARY	76-2	
FILEUPDATE	76-6	
FILL	27-12	
FILPS	27-6	
FIT	76-7	
FIXCODE	87-8	
fonts		
GP300	50, 42-7, 43-13	
proportional spacing	42-12, 43-10	
Xerox 2700 landscape	42-11, 71-6	
Xerox 2700 portrait	42-9, 71-6	
forecasting	26-4	
forms queue		
for graphics	17-3	
for labels	38-7	
forms queue		
for sensitive data	99-5	
FORT77	76-7	
FORTTRAN	29-3, 92-3	
Fortran	18-29, 52-22	
Fortran77	57, 18-14, 18-28, 64-7	
arrays	57-3	
character handling	57-2	
CLOSE	57-4	
comments	57-5	
constants	57-5	
control statements	57-3	
DO loops	57-3	
formatted I/O	57-4	
generic functions	57-6	
implied-Do loops	57-4	
INQUIRE	57-4	
language extensions	57-6	
OPEN	57-4	
order of statements	57-5	
PARAMETER	57-5	
PRINT	57-4	
READ	35-5, 57-4, 85-4	
subprograms	57-6	
type specifications	57-4	
WRITE	35-5, 57-4, 85-4	
frequency distribution	25-2	
FTRANS	34-2, 34-10	
full file name	61-4	
FUNDS	28-2, 28-3, 80-19	
for courses	28-4	
group holdings	28-3	
usage	28-3	
GAZ	15-54	
General Linkage Area	33-3	
GENSTAT	15-54, 15-56, 20-1, 26-2, 26-3	
access on EMAS 2900	20-2	
access on EMAS-3	20-2	
documentation	20-2	
example	20-7	
input-output channels	20-4	
macro library	20-4	
parameters	20-3	
using backing store files	20-5	
worked examples	20-4	
GLA	33-3, 4-5, 31-13, 31-17, 35-26, 80-5, 85-3, 85-12, 96-5	
GLIM	26-4	
documentation	26-4	
.GP	17-2, 17-3, 47-5, 47-8, 47-10, 47-21	
GP300 fonts	50, 42-7, 43-13	
Courier	50-6	
Data	50-18	
Gothic	50-2	
Gothic bold	50-4	
Gothic italic	50-12	
Greek	50-16	
Micro	50-8	
non-standard characters	50-20	

GP300 fonts		i/o channel	80-10
Orator	50-10	allocation	80-4, 80-7
Scientific	50-14	redefining default	27-10
GP300 printers	50, 43-12, 48-2, 66-2, 66-7, 66-9, 67-31, 71-3, 71-10, 100-5	i/o control	27-2
GPLAYOUT	47	i/o journal	80-4, 80-10, 80-11
access	47-4	IBM PC	78-5
edit commands	47-12	FORMAT	73-11
frame	47-3	IBM PC/XT	73-5, 99-3
GPLIST	17-2, 11-3, 11-7, 12-3, 12-4, 12-17, 12-18, 12-20, 12-22, 17-3, 47-10	IDA	26-4
graph plotters	17-2, 17-3	documentation	26-4
GREENBOOK	52-5	IMP	18-28, 52-22, 58-3, 80-2
GREP	70-8, 70-10	IMP77	18-16, 29-3
group	61-3, 34-8, 55-2, 61-4	IMP80	18-16, 2-2, 53-12, 64-7
creating	61-5	ADVAL	74-20
GROUPTOPD	61-9	<u>alias</u>	14-5, 58-6
		<u>array format</u>	58-6
		<u>array map</u>	58-6
		CHARNO	58-5
		comments	2-3
		conditional compilation	58-10
		<u>constant integer</u>	30-10, 58-5, 58-10
		<u>constant string</u>	58-5
		constants	2-7
		continuation of statements	2-2
		<u>continue</u>	2-5
		<u>cycle/repeat</u>	58-6
		cycles	2-5
		<u>dynamic routine spec</u>	53-7
		ENVELOPE	74-20
		<u>exit</u>	2-5
		exponentiation	2-4
		<u>external</u>	58-6
		<u>external routine</u>	53-7, 58-11
		<u>external routine spec</u>	58-4
		<u>external specs</u>	58-10
		<u>external items</u>	2-11, 14-5, 31-13, 58-9
		<u>extrinsic items</u>	31-4
		<u>extrinsic variables</u>	85-3, 85-9
		formatting source	14-2
		<u>half integer</u>	58-7
		<u>include</u>	30-3, 30-10
		<u>integer map</u>	58-9
		LENGTH	58-5
		logical operators	2-3, 2-4
		<u>long integer</u>	58-6
		<u>on event</u>	65-2
		<u>own initialisation</u>	2-4
		<u>own variables</u>	35-26
		PEEK	74-20
		POKE	74-20
		PRINT	30-14
		PRINTCH	58-5
		PRINTFL	30-14
		PRINTSYMBOL	58-5
		procedures, as parameters	2-12
		program debugging	8-2
		program profiling	8-2
		READSYMBOL	58-5
		records	2-9
HASH COMMAND	35-23		
hash commands	35-16, 36-2		
HAZARD	61-7, 56-3		
HELP	9-3, 52-9		
CONTRAST	55-3		
ECCE	46-7, 46-8		
EDIT	46-6		
EL	46-13		
FSTARTFILE	56-2		
PERMRECALL	46-8, 46-10, 46-12		
SCREED	46-9		
STARTFILE	46-14		
TERMINALTYPE	46-14, 56-2		
TTYINIT	46-14, 56-2		
UPDATE	55-13		
VECCE	46-13		
VIEW	46-14		
#HEX	35-17, 87-22		
hexadecimal numbering system	87-22		
hierarchical filestore	61-3		
HIERF	26-4		
histogram	19-2, 92-2		
horizontal tab characters	87-4, 87-9, 87-12		
hostname			
ADADG	29-4		
BUSH	29-2		
DAP	29-3		
EMAS	29-2		
EMAS-A	29-2		
ERCVAX	29-2		
FSTORE	29-4		
ITS63A	29-4		
ITS63B	29-4		
ITSPNA	29-4		
PREST2	95-3		
PRESTEL	95-3		
PSSE	29-2		
HTOS	27-19		

IMP80		LABS	38
<u>return</u>	65-7	LANDNUM	55-14
SELECT INPUT	35-5	landscape mode	71-4, 71-6
SELECT OUTPUT	35-5	landscape Xerox 2700 fonts	42-11, 71-6
<u>short integer</u>	58-7	LAYOUT	42, 37-2, 37-5, 43, 50, 71-3, 71-9, 71-11, 87-5, 100-4
<u>signal event</u>	65-4	access	42-2, 43-12
SOUND	74-20	leaf plots	24-2
<u>start/finish</u>	58-10	least squares approximation	11-2, 26-5
blocks	2-6	lexicon	90-2
<u>stop</u>	65-7	LEXMERGE	90-12
strings	2-8	life table analysis	25-2
switch labels	2-5	line editors	46-2
syntax checker	46-7, 58-4	line graph	92-2
<u>system</u>	58-6	line numbering	55-14
<u>system routine spec</u>	58-4	LINENO	55-14
<u>system items</u>	14-5	LINK	4-5, 32-2, 32-5, 96-6
USR	74-20	LISP	18-18, 18-28
variable types	2-3	Common	18-18, 18-24
WRITE	30-14	CU	18-18
INDEX	100-2	Franz	18-18
INLAY	37	LISREL	26-4
INSERT	6-7, 81-3	documentation	26-4
KNTLIB.SCREED	46-4	LIST	6-2, 11-4, 11-7, 12-22, 12-24, 37-5, 38-6, 38-7, 42-4, 48-8, 55-14, 64-2, 67-44, 71-4, 71-5, 71-8, 71-11, 87-4, 90-13
integer to hexadecimal string		LIST PROFILE	16-9
conversion	80-10	access	16-8
integer to string conversion	27-19, 80-11	#LISTFD	35-20, 35-4
integer, decimal-hexadecimal	35-17	LISTPERM	77-11, 54-3
integer-character conversion	27-2	LK	46-10
interrupt	65-4, 65-6, 79-10, 80-9, 80-11, 94-11, 94-12	LOADEDENTRIES	31-11, 85-6
background job	53-11	LOADEDFILES	31-11, 85-7
character	52-14, 30-9, 65-5	loader	31, 80-11, 85
from a PAD	52-6	documentation	31-12
IOPT	53-12	error messages	85-8
ISO character codes	52-28	errors	31-12
ISO to EBCDIC code conversion	27-17, 35-8, 80-5, 80-11	monitoring	31-11, 85-7
ITOE	27-17	search order	31-2, 85-2
ITOS	27-19, 58-8	warning messages	85-10
		warnings	31-12
JOURNAL OFF	27-11	LOADPARM	31-3, 32-2, 80-5, 85-2
KERMIT	78, 78-6, 79, 79-5, 94, 94-5	FULL	31-3, 85-2, 85-12
availability	79-20, 94-22	LET	31-3, 31-12, 31-14, 31-16, 85-2, 85-9, 85-10, 85-11, 85-12
Kermit	39-3, 73-3	MIN	31-3, 31-11, 31-12, 31-14, 31-16, 32-2, 35-17, 85-2, 85-7, 85-10, 85-11
Key-to-Disk	3-2	settings	35-12
keyword index	27-15	ZERO	31-3, 85-3
KNTLIB	15-55, 15-56	localname	61-2
KNTLIB.BASIC	15-55	LOCATE	70-11
KNTLIB.BCPL	15-55	log-linear analysis	25-2
KNTLIB.DEC	15-55	logging on	33-7
KNTLIB.GENERAL	15-55, 55-3, 55-14, 70-3, 70-8	via a PAD	52-6
KNTLIB.LEXICON	90-3	LOOK	46-6, 6-2, 64-2, 70-2, 70-10
KNTLIB.MAPLELIB	15-55	LOOKFOR	85-12
KNTLIB.SNOBOL	15-55	lower case to upper case conversion	27-12, 80-18
KNTLIB:GENERAL	15-56, 55-14		
KWDSCAN	27-15, 70-11		

#LQUIET	31-12, 85-7	MODIFY	
LUSAS	29-3	SUPPRESS	4-4, 96-4
		SUPPRESS DATA	4-4, 96-4
MAIL	34-7, 34-22, 46-6, 46-7, 71-3, 74-18	MODULA	29-3
bulletin board	67-44, 74-18	MODULA-2	18-20, 18-28
MAPLE	18-8	#MON	35-17, 35-23
MATCH ADDR	27-14, 70-11	monitoring commands	35-17
matrix plotter	17-4	#MONLOAD	35-17, 31-11, 32-6, 35-23, 85-7
maximum likelihood	26-4, 26-5	most significant bit	87-24
MAXLIKE	26-5	MOVE	27-11
MERGE PROFILES	16-9	.MP	17-2, 17-3, 17-4
access	16-8	MPLIST	17-4
Microcomputer Teaching Laboratory	40	MPLISTN	17-4
microcomputers		MS DOS	73-4, 78-5, 86-3, 91-5
hardware	88-5	multidimensional scaling analysis	25-2
languages	88-7	multiple linear regression	24-2
machine environments	88-5	multiple regression	25-2
packages	88-8	multiple response analysis	25-2
software	88-6	multivariate analysis	20-1, 26-3
support policy	88	MULTREG	26-5
Micronet 800	95-2		
MICROS	15-55, 15-57	#N	35-23, 31-11, 31-12, 35-17, 35-18, 80-13, 85-7
MICROS.EMASLIB	15-55, 74-18	NEWGEN	53-3, 16-3, 53-5, 53-6, 77-3, 83-3
MICROS.KERMDIR	15-55	NEWGROUP	61-5
MICROS:EMASLIB	15-57, 74-18	NEWLINE	80-15
MINISQ	26-5	NEWPDFILE	76-8
MINITAB	24, 26-2, 26-3	NEWSMFILE	31-3, 31-5, 85-3
access on EMAS 2900	24-2	NIFTP-B(80)	34-2, 34-19
access on EMAS-3	24-3	NLINES	70-8, 70-10
data files	24-4	NOGREENBOOK	52-5
documentation	24-2	non-parametric analysis	19-2, 24-2
parameters	24-3	non-parametric correlation	25-2
ML	18-19, 18-28	non-parametric tests	25-2
MLP	26-5	non-printing characters	87-5, 46-6, 46-7, 46-10, 46-12, 87-3
documentation	26-5	NOPRINT	87-7
modem	74-10	#NOTE	80-13
MODESTR	52-25	NRS	34-22
MODIFY	4-2, 31-14, 32-4, 32-6, 85-9, 96-2		
ALIAS	4-3, 96-3	OBEY	25-5, 25-6, 35-5
BIND	4-5, 96-5	OBEYJOB	25-5, 53-4
CLOSE	4-6, 96-6	OBJANAL	31-14
COMMON ENTRY	4-5	object file	4-2, 31-2, 31-4, 32-2, 32-4, 34-8, 35-3, 53-4, 53-6, 55-2, 58-3, 96-2
COMMON REF	96-5	bound	32-5, 32-3
CREATE COMMON	4-6	code	33-3
FUSE CODE	4-5	format	33-3
FUSE GLA	4-5	OCCAM	18-3
MAKE DYNAMIC	4-4, 96-4	OCP	70-9, 70-10
MAKE STATIC	4-4, 96-4	documentation	70-10
NO CHECK	96-5	OFFER	77-3
NO HISTORY	4-6, 96-6	OLAYOUT	42-2, 46-8, 46-12, 71-12
REDIRECT	4-3, 96-3	optimisation	20-1
REDIRECT DATA	4-3, 96-3	OPTION	
RENAME	4-3, 96-3	AUXSTACKSIZE=	66-2
RENAME DATA	4-3, 96-3	FSTARTFILE=	30-2, 52-10, 56-2, 91-6
RETAIN	4-4, 96-4		
RETAIN DATA	4-4, 96-4		
SATISFY DATA	4-5, 96-5		
SATISFY REFS	4-4, 96-4		

OPTION		parameter	
INITPARMS	16-4, 83-4	string	80-18
INITSTACKSIZE=	31-14, 33-8	text	80-11
ITINSIZE=	74-6, 91-6	wild-card in	61-8
ITWIDTH=	52-11	Parameter Acquisition Mechanism	58-5, 61-8, 80-10, 80-11, 80-18
PERMRECALL	46-6, 46-8, 46-10, 46-12	parity	87-5
RECALL	80-13	PARLIN	26-5
SEARCHDIR=		PARM	64-2
CONLIB.GENERAL	8-3, 14-2, 30-3, 30-17, 42-2, 43-12, 46-3, 48-2, 53-2, 55-2, 56-2, 76-2, 87-3 100-2	DEBUG	53-7, 8-3
CONLIB.GRAPHICS	11-3, 12-3, 47-4	DYNAMIC	53-7, 32-2
DAPSYS.DAPDIR	1-2	MAXDICT	53-7
ECSLIB.GENERAL	46-3	MINSTACK	31-14
ERCLIB.GENERAL	37-4, 58-3	NOARRAY	53-7, 64-2
ERCLIB.GRAPHICS	11-3, 12-3, 47-4	NOCHECK	53-6, 64-2
KNTLIB.GENERAL	16-8, 38-4, 46-3, 55-2, 87-3, 90-2	NODIAG	53-6, 64-2
MICROS.EMASLIB	74-6, 91-6	NOLINE	53-6, 64-2
MICROS.KERMDIR	78-6, 79-5	NOLIST	53-6, 64-2
PLULIB.PACKDIR	19-2, 20-2, 24-2, 25-3, 26-3	NOTRACE	53-6, 64-2
TEMPRECALL	46-6, 46-8, 46-10, 46-12	NOWARNINGS	57-6, 64-2
options	16-2, 12-10, 83-2	OPT	53-6, 53-12, 64-2
ORACLE	29-3	PROFILE	53-7, 8-2
.OUT	64-2	R8	64-2
overhead transparencies	12-17, 17-3	settings	6-2, 35-11, 53-5, 53-6, 80-5
p-System	73-4	STACK	53-7
packages		STRICT	57-6, 64-2
on EMAS 2900	15-5	PARMAP	27-5
on EMAS-3	15-26	partial correlation	25-2
on ERCVAX VAX/VMS	15-44	partitioned file	35-3, 31-4, 32-2, 34-8, 55-2, 55-11, 55-13, 56-3, 58-3, 61-8, 77-4, 80-12
on GEC Series 63 Unix	15-47	indexes	35-3
on Gould PN9080 Unix	15-47	PASCAL	64, 6-2, 29-3
on microcomputers	88-8	CASE	64-8
reference to	15-54, 15-56	compile time errors	64-3
statistical	26-2	compile time options	6-2, 64-2
use of	15-54, 15-56	directives	6-2
Virtual Video	30, 56-2	documentation	64-9
PACKDATEANDTIME	10-3	EXTERN	6-6, 64-4
Packet Assembler/Disassembler	52-3	hardware representation	6-5
PAD	46-8, 52-3, 56-2, 74-6, 74-10, 74-14, 74-17, 78-5, 79-23, 80-16, 91-3, 94-5	CHAR	6-5
commands	52-7	external files	6-5
interrupt	52-6	INTEGER	6-5
parameters	52-30	MAXINT	6-5
PAM	58-5, 61-8, 80-10, 80-11, 80-18	PACKED	6-5
parameter		REAL	6-5
analysis	27-2, 27-4	textfiles	6-5
integer	80-11	initialisation of variables	64-5
keywords	27-8	language extension	6-4, 64-3
longreal	80-12	ALPHA	6-4
monitoring	80-12	ALPHA8	6-4
prompting	27-7	CLOCK	6-4
		DATEANDTIME	6-5
		DISPOSE	6-4
		HALT	6-4
		lexical	64-4
		language restrictions	6-4
		FILE type	6-4
		local file declaration	6-4
		READ	6-4

language restrictions		principal components	26-4
SET type	6-4	PRINTCH	52-29
textfile	6-4	PRINTCHS	52-24, 52-29
WRITE	6-4	printers	
lexical conventions	6-3	charges	66-7, 66-9, 67-31, 71-5
PASCAL		dot matrix	50
mixed language programming	64-7	Philips GP300	50, 43-12, 48-2, 66-2, 66-7, 66-9, 67-31, 71-3, 71-10
OTHERWISE	64-8	Xerox 2700 Laser	71-4, 66-2, 66-7, 66-9, 67-31, 71-10
porting programs to EMAS-3	64-3	printing characters	87-3
PRESET	64-5	PRINTSTRING	52-24
READONLY	64-5	probability distributions	24-2
run time error reporting	64-3	probit analysis	25-2
separate compilation	64-4	procedure entry	4-2, 96-2
separately compiled procedure	6-6	procedure linkage table	33-3
VISIBLE	64-4	procedure reference	4-2, 96-2
WORD	64-8	process concurrency	53-2
WRITE	6-6	profile scheme	12-10, 48-6, 53-9
WRITELN	6-6	on EMAS 2900	16-2
Pascal18-21, 18-14, 18-28, 18-29, 52-22		on EMAS-3	83-2
password	99-2, 99-5	profiling IMP programs	8-2
password, filetransfer	34-10	Program Loader	58-9
pattern matching	70	Errors	31-12
PC DOS	73-4, 73-5, 73-11, 78-5	Monitoring	31-11, 31-17
PCALL	31-3, 31-7	Warnings	31-15
#PCOM	35-22	programming languages on	
PDCHECK	55-12, 55-3	AOS	18-28
PDTOGROUP	61-9	BBC/MOS	18-29
PDTOTEXT	70-4	EMAS 2900	18-28
PDVERIFY	55-13, 55-3	EMAS-3	18-28
PERMIT	34-10, 54-2, 61-7, 76-2, 77-2, 77-6, 81-4	microcomputers	88-7
PHEX	27-19	MS-DOS	18-29
Philips GP300	50, 43-12, 48-2, 66-2, 66-7, 66-9, 67-31, 71-3, 71-10	PC-DOS	18-29
picture editing	47	UCSD p-System	18-29
pie chart	92-2	UNIX	18-4
plotters	17-2, 17-3	VMS	18-28
plotting	12-3, 20-6, 24-2, 26	PROLOG	18-24, 18-28, 29-3
PLULIB	15-54, 15-56	prompting for input	80-16
PLULIB.PACKDIR	15-54, 99-5	proportional spacing fonts	42-12, 43-10
PLULIB:PACKDIR	15-56	PSSE	95-3
#PMESS	35-18	host PREST2	95-3
polynomial	11-2	host PRESTEL	95-3
POP	18-23, 18-28	PSTOI	27-19
POPLOG	18-23, 18-28	PSYSMESS	58-8
portrait mode	71-4, 71-6	PTRAP	65-3
portrait Xerox 2700 fonts	42-9, 71-6	#PVM	35-19, 35-28, 35-29
PPROFILE	8-2, 53-7	QENV	27-19, 35-23
PRELOAD	4-6, 31-10, 31-13, 31-14, 32-3, 85-6, 85-9, 85-10	QMC Subroutine Libraries	1-4
PRESTEL	95	QUERY PROMPTS	27-7
access	95-3, 95-6	questionnaire	3-2, 3-5, 3-6
Closed User Group	95-2	Random number generator	24-2
Education	95-2, 95-4	RAPPORT	15-54
costs	95-4	RCL	27-3
demonstration database	95-5	RCL (i/o journal)	46-10
Directory	95-2	READ PROFILE	16-2, 83-2
Information Providers	95-2	READCH	80-11
Prestel	74-10	real time tasks	39-2
PRICELIST	73-7		

RECALL	46-6	SCRIBE	
RECAP	46-8	facecodes	67-32
registering as a user	29	instructions	67-3
of Ada	29-4	messages	67-34
of DAP	29-3	page layout	67-24
of EMAS 2900	29-2	standard environments	67-12
of EMAS-3	29-2	SCSS	26-5
of Filestore	29-4	SEARCHDIR	
of Network Gateway (PSSE)	29-3	ERCLIB:GENERAL	46-3, 55-2, 87-3, 100-2
of UNIX	29-4	ERCLIB:GRAPHICS	47-4
of VAX/VMS	29-3	KNTLIB:GENERAL	87-3
registers	35-23	MICROS:EMASLIB	74-6, 94-5
printing contents	35-21	PLULIB:PACKDIR	19-3, 20-2, 24-3, 25-4
regression	19-2, 20-1, 26-4, 26-5	SEND	48-9, 71-4, 77-3
#REGS	35-21, 35-23, 35-27	SET RETURN CODE	35-10, 58-7
reliability analysis	25-2	SETMODE	52-12, 30-9, 91-6
REMOVE	81-3	=	52-12, 52-21
RENAME	61-7	CONTROLCHARINTS	52-14
REPORTON	27-11	ECHO	52-15
RESETLOADER	31-10, 31-4, 31-6, 31-14, 32-3, 33-8, 85-2, 85-4, 85-5, 85-6, 85-9	FLOW=ON	74-6, 74-16
RESTORE	54-4, 54-5, 54-7, 56-3, 61-6, 77-6, 77-9, 77-10	FORWARD	52-18
restoring a file	54-4, 54-2	GRAPH	52-16
RETURN CODE	35-10	keywords	52-30
return code	31-2, 31-6, 31-7, 35-9, 80-16, 80-17	MESSAGE	52-16
RGSP	26-5	NATIVE	52-17
RUN	31-6, 17-2, 53-4, 53-10, 85-6	NOCONTROLCHARINTS	52-14
		NOECHO	52-15
		PAD parameters	52-20
		TIMEOUT	52-19
		TRANSPARENT	52-18
		WIDTH	52-20
S#	58-6, 80-2	SETPAR	27-5
S#CERRS	53-4	share register	28-2
S#ERROR	80-8	SHOW	46-8, 6-2, 64-2, 70-2, 70-10
S#FAILURE MESSAGE	80-2	SIMULA	29-3
S#JJN	53-5	SIMULA67	18-25, 18-28
S#LIST	53-4	simulation	26-4
S#SET RETURN CODE	80-2, 80-5	SIR	29-3
SAMEBYTES	27-13, 70-11	SIZE OF	27-20, 2-10
SANLAY	42-3, 43-13, 71-9, 71-12	SMADDR	31-5, 85-5
access	43-12, 42-2	#SNAP	35-19, 76-5
SAS	29-3	#SNAPCH	35-19
SASPAC	15-54	#SNAPCODE	35-20
#SBYTE	35-21	SNOBOL	18-27, 18-28
SCA	29-3	SOAP	58-4
scanning text	70	SOAP80	14
scatter diagram	19-2	access	14-2
scattergrams	26-4	software support	15
#SCOM	35-22, 35-23	categories	15-53
SCREED	46-8, 30-2, 46-3, 70-4	CONLIB	15-55, 15-56
documentation	46-9, 70-4	DAPSYS	15-54
SCREED#SAVE	46-9	EMAS 2900 subsystem	15-54
screen editor	46-2, 86	EMAS-3 subsystem	15-56
SCRIBE	29-3, 66, 67, 71-3, 71-4, 71-8, 87-5	ERCLIB	15-54, 15-56
access	66-2	ERCVAX VAX/VMS	15-44
bulletin board	67-44	GEC Series 63 Unix	15-47
device types	67-30	Gould PN9080 Unix	15-47
document types	67-28	KNTLIB	15-55, 15-56
extensions to command	67-43		

software support			system environment	27-2, 80-18, 80-19
microcomputers		88-6		
MICROS	15-55, 15-57		T#	58-9, 80-15
PLULIB	15-54, 15-56		T#ASTK	31-13
programming languages	18, 88-7		T#AUXST	35-13
source file	58-3, 58-11		T#CODE	31-17
SPAR	27-5		T#DETACH	53-5, 53-7
SPELL	90-2		T#DPLAYIN	48-10
access	90-2		T#IT	33-7
SPELLC	90-9		T#LIST	1-2, 6-2, 55-14, 64-2
SPELLE	90-10, 90-12		T#LOADCODE	85-12
spelling checker	46-5, 46-7, 90-2		T#LOG	90-3
spline fit	11-2		T#LAYOUT	48-10
spline interpolation	11-2		T#MODLIST	4-2, 96-2
spreadsheet packages	92		T#OBJECT	64-2
SPSS	26-2, 26-3		T#PLOTFL	12-4, 12-9, 12-18, 12-20, 12-22, 12-24, 47-6, 47-8, 47-10
SPSSX	15-54, 15-56, 25, 29-3		T#SUMMARY	76-3
access on EMAS 2900	25-3		T#UGLA	33-8, 31-13, 35-12, 85-9
access on EMAS-3	25-4		T#USTK	33-7, 31-13, 85-9
accessing EMAS 2900 files	25-4		T#WRK	35-9, 80-17
accessing EMAS-3 files	25-5		t-tests	25-2
documentation	25-2		tabulation	19-2, 20-1, 24-2, 26
EMAS 2900 jobs	25-5		tape streamer	73-4, 73-5
examples	25-8		backup schedule	73-10
EMAS-3 jobs	25-6		cleaning	73-6
examples	25-9		TCP	52-3, 30-2, 30-7, 46-8, 56-2, 74-6, 74-16, 78-5, 79-9, 79-15, 91-3, 94-5
error messages	25-7		temporary file	80-15, 12-4, 31-13
errors	25-7		Terminal Control Processor	52-3
hints for efficiency	25-9		terminal emulation	74-23
parameters	25-3, 25-5		terminal's characteristics	52-22
SS#DET	53-9		TERMINALTYPE	52-9, 9-3, 9-23, 30-2, 30-7, 46-14, 56-2, 87-3
SS#EDSAVE	46-10, 46-12		text formatting	42, 43, 48, 66, 67, 100-2
SS#MACRO	81-2, 81-4		TEXTCOMPARE	55-10, 55-3
SS#PROFILE	16-2, 12-10, 14-3, 52-11, 52-14, 83-2		TIME	10-3
SSMP	52-22, 30-2, 46-14, 56-2		time series analysis	19-2, 20-1, 24-2, 26-5
documentation	52-22		TOEMASA	58-3
#SSTRING	35-21		TRAIL SPACES	27-13
stacks	33-4, 31-13, 31-17, 53-7, 58-9		TRANSFER	34, 58-3
STARTSWITH	27-14, 70-11		TRANSFERS	34-6, 34-16
static procedure reference	4-2, 96-2, 96-4		TSA	26-5
statistical packages	26-2		documentation	26-5
stem plots	24-2		TSEARCH	70-6
STOREMATCH	27-14		TSEARCHALL	70-4, 70-10
string			TTYINIT	52-10, 30-2, 46-14, 56-2
translation	80-14		TTYLIST	52-11, 9-23
string input	27-3		typography	66-10
STRIPLEX	90-11		ascender	66-10
SUBSYS.LOADERMAN	31-12		descender	66-10
SUBSYS:BASEDIR	85-2		filling	66-11
SUBSYS:EMAS3SPECS	80-2		font	66-11
SUBSYS:ERRORTEXTS	80-2, 80-16, 80-30		justification	66-11
SUBSYS:EXAMPLES.MACROS	81-2		leading	66-10, 66-12
SUBSYS:PASCALERRS1	64-3		margin	66-12
SUPERSNAP	36, 70-4, 87-20		measure	66-11
SUPPRESS RECALL	27-11		pica	66-10
survey	3-2		point	66-10, 66-12
survival analysis	19-2, 26-3			
#SWORD	35-21			

typography		virtual memory	35-29
spacing	66-12	altering values	35-21
typeface	66-11	dumping	35-19, 36-2
x-height	66-10	layout	35-19
		translating	35-19
UCSTRING	27-12	Virtual Video Package	30, 56-2
UCTRANSULATE	27-12	access	30-2
UINFI	27-20	bit values	30-3
UINFS	27-20	IMP external routine specs	30-3
UMAPIT	15-54	standard character values	30-3
UNPACK DATE	10-3	VV CLEAR SCREEN	30-14
UNPACK TIME	10-3	VV CLOSE	30-9
UPDATE	55-13	VV DEFINE TRIGGERS	30-7
USEFOR	31-7	VV EDIT PAGE	30-15
USEGROUP	61-6, 80-3, 80-20	VV GIVE NEW LINE	30-12
user code	29-5	VV GIVE OLD LINE	30-11
user number	29-5	VV GO TO	30-13
username	61-2	VV INIT	30-7
		VV MENU	30-16
VDEFINE	20-5, 20-6, 24-4	VV NEWLINE	30-14
VDUB	52-23	VV NEWLINES	30-14
VDUC	52-23	VV PRINT	30-14
VDUI	52-22	VV PRINT CH	30-13
VDUS	52-24	VV PRINT STRING	30-13
VECCE	46-13, 46-3, 46-8	VV PRINTFL	30-14
documentation	46-13	VV READ CH	30-10
very temporary file	80-15, 80-17	VV REPAIR LINE	30-12
VFILES	56, 30-19	VV REPAIR SCREEN	30-12
VIEW	9-3, 1-4, 9-22, 12-3, 46-14, 47-16, 52-9, 76-3, 94-13	VV RESTORE MODES	30-9
!ADDOKEY	9-13	VV RSTRG	30-12
bookmark	9-6	VV SPACE	30-14
calling commands	9-8	VV SPACES	30-14
calling from a program	9-22	VV TERMINAL DETAILS	30-9
card index	9-14	VV UPDATE SCREEN	30-14
commands	9-5	VV WRITE	30-14
dictionary	9-15	VM full	1-2
extracting material	9-8	VOLUMS	54-4
FIND	9-7, 9-14	VSS	80-17
interface to MAIL	9-17	VVDEMO	30-17
!KEY	9-13	VVP	30-2
KEYS	9-6		
MICROS.BBCSOFTLIB	74-18	Wild-card in parameter	61-8
!PAGE	9-13	WIPEFILE	99-5
preparing material	9-10	WRITE PROFILE	16-2, 83-2
!QUOTE	9-14		
searching	9-7	X-Talk	91, 29-4, 39-3, 73-3, 74-4, 79-4, 79-23, 94-4, 95-5, 95-7
section directives	9-12	bulletin board	74-18
!SKIP	9-15	error messages	74-21
special functions	9-17	Xerox 2700 Laser printer	71-4, 66-2, 66-7, 66-9, 67-31, 71-10
!STOP	9-13	XMODE	52-13
subsidiary files	9-15	keywords	52-30
!TITLE	9-11		
!TOPIC	9-16	YCOMP	55-6, 55-3
VIEWER	9-21	YSEARCH	70-6, 70-4, 70-10
VIEWREFS	9-22, 9-16		